

Intermediate Microeconomic Theory

Tools and Step-by-Step Examples

Chapter 2: Consumer Preferences and Utility

Outline

- Bundles
- Preferences for Bundles
- Utility Functions
- Marginal Utility
- Indifference Curves
- Marginal Rate of Substitution
- Special Types of Utility Functions
- A Look at Behavioral Economics—Social Preferences
- Appendix. Finding Marginal Rate of Substitution

Bundles

Bundles

- A **bundle** is a list of goods and services.
 - *Example:* If an individual consumes only 2 goods, x and y (apples and oranges), bundle $A = (40,30)$ indicates that she consumes $x = 40$ apples and $y = 30$ oranges.




Figure 2.1

Preferences for Bundles

- Let's analyze consumer preferences over bundles or **how a consumer ranks different bundles**.
- Notation for comparing preferences for bundles:
 - Consider bundles $A = (x_A, y_A)$ and $B = (x_B, y_B)$.
 - $A \succ B$, the individual “strictly prefers” bundle A to B (“strictly” rules out the possibility she is indifferent between the two bundles).
 - $A \sim B$, she “indifferent” between bundles A and B .
 - $A \succeq B$, she “weakly prefers” bundle A to B (she can be indifferent between the two bundles or to strictly prefers A to B).

Preferences for Bundles

- **Completeness:**
 - A preference relation is *complete* if the consumer has the ability to compare every two bundles A and B :
 - $A \succ B$ (she strictly prefers bundle A),
 - $B \succ A$ (she strictly prefers bundle B), or
 - $A \sim B$ (she is indifferent between A and B).
 - Completeness implies that the consumer has time to be able to compare and rank two bundles.
 - We don't allow the consumer to respond "I don't know how to compare these two bundles!"

Preferences for Bundles

- **Transitivity:**

- For every three bundles A , B , and C ,
 - if the consumer prefers A to B ($A \succ B$),
 - and B to C ($B \succ C$),
 - she must also prefer A to C ($A \succ C$).
- A consumer with intransitive preferences would have $A \succ B$ and $B \succ C$, but $C \succ A$. Her preferences would exhibit a cycle:

$$A \succ B \succ C \succ A.$$

- An individual with intransitive preferences would be subject to exploitation.

Preferences for Bundles

- Exploitation of intransitive individuals:
 - Consider 3 goods, an orange, and apple, and a banana. And a consumer with the following preferences:

Orange \succ *Banana* and *Banana* \succ *Apple*

but *Apple* \succ *Orange* (which violates transitivity)

- Assume she owns 1 orange, and she plays a game with a fruit seller. If the seller gives her preferred fruit, she pays \$1.
 - The seller offers an apple, she pays \$1 because *Apple* \succ *Orange*.
 - Next, the seller offers a banana, she pays \$1 because *Banana* \succ *Apple*.
 - Next, the seller offers an orange, she pays \$1 given *Orange* \succ *Banana*.
- At the end, the consumer has 1 orange as at the beginning of the exchange, but she has lost \$3 due to her intransitive preferences.

Preferences for Bundles

- **Strict Monotonicity:**
 - Consider an initial bundle A , and a new bundle B , where bundle B has
 - the same amount of good x as bundle A ($x_A = x_B$),
 - but more units of good y ($y_B > y_A$).
 - A consumer's preferences satisfy *strict monotonicity* if
 - she strictly prefers B to A ($B \succ A$).
 - Increasing the units of a single good, as y in bundle B , produces a new bundle that is strictly preferred to A → “more of *anything* is strictly preferred.”

Preferences for Bundles

- **Monotonicity:**
 - Again, consider an initial bundle A , and a new bundle B , where bundle B has the same amount of good x as bundle A ($x_A = x_B$), but more units of good y ($y_B > y_A$),
 - whereas a new bundle C has more units of both goods than bundle A does ($x_C > x_A$ and $y_C > y_A$).
 - A consumer's preferences satisfy *monotonicity* if
 - she weakly prefers B to A ($B \succeq A$),
 - but she strictly prefers C to A ($C \succ A$)
 - If the amounts of *all* goods are higher, as in bundle C , the consumer is better off → “more of *everything* is strictly preferred.”

Preferences for Bundles

- *Example 2.1: Monotonic and strictly monotonic preferences.*

- Consider bundles $A = (2,3)$ and $B = (2,4)$.
- Eric strictly prefers bundle B to A ($B \succ A$).
 - If this ranking holds for any two bundles where only one of the good is increased, these preferences satisfy *strict monotonicity*.
- Chelsea is indifferent between B and A ($B \sim A$).

If we replace B with bundle $C = (3,4)$, she strictly prefers C to A ($C \succ A$).

- If this ranking holds for any two bundles in which one has more units of all goods, her preferences satisfy *monotonicity*.

Preferences for Bundles

- **Strict Monotonicity implies monotonicity:**
 - If a consumer becomes strictly better off if we increase anyone of the goods, then she is not worse off, which is the minimal requirement to satisfy monotonicity.

$$\textit{Strict monotonicity} \implies \textit{Monotonicity}$$

- Monotonicity and strict monotonicity require that the consumer regards all items in her bundle as goods rather than bads (e.g., pollution or garbage).
 - If some good were a bad, increasing the number of units in initial bundle A , would produce a new bundle B that would be *less* preferred than bundle A , violating monotonicity and strict monotonicity.

Preferences for Bundles

- Nonsatiation:

- Preferences satisfy nonsatiation if, for every bundle A , there is another bundle B for which the consumer is better off,

$$B \succ A$$


- Nonsatiation means there is no “bliss bundle” \rightarrow the consumer cannot be made any happier by consuming an alternative bundle.
- Nonsatiation allows the consumer to regard some goods as “bads.”
- Nonsatiation only requires the consumer to always find more preferred bundles.

Monotonicity \Rightarrow Nonsatiation

Monotonicity \nLeftarrow Nonsatiation

Preferences for Bundles

- *Example 2.2: Nonsatiated preferences.*
 - Consider bundles $A = (2,3)$ and $D = (2,1)$.




- Eric says he strictly prefers D to A , $D \succ A$, but there exist other bundles different from A and D , making him happier than D does.

Do his preferences satisfy nonsatiation?

Preferences for Bundles

- *Example 2.2* (continued):

- His preferences, $D \succ A$, can satisfy nonsatiation, but violate monotonicity.
 - Relative to bundle A , bundle D decreased the amount of good y , keeping x unaffected.
 - If $D \succ A$, it must be that y is a bad.
 - Bundle D is a “more preferred” bundle \rightarrow nonsatiation is satisfied.
 - Monotonicity would require $A \succ D$.



Utility Functions

Utility Functions

- A **utility function** mathematically represents the level of satisfaction that an individual enjoys from consuming a bundle of goods.
 - *Example:* If she consumes bundle $A = (40,30)$ and her utility function is $u(x, y) = 3x + 5y$, her level of utility at bundle A is

$$u(40,30) = (3 \times 40) + (5 \times 30) = 270$$

- The utility level from bundle A is not as important as the *ranking* of utilities across bundles:
 - Only the utility ranking matters \rightarrow “ordinality.”
 - The specific utility level that the consumer reaches with each bundle does not matter \rightarrow “cardinality.”

Utility Functions

- *Example 2.3: Utility ranking and increasing transformations of the utility function.*
 - Consider utility function $u(x, y) = xy$:
 - Bundle $A = (40, 30)$ produces $u(40, 30) = 1,200$.
 - Bundle $B = (20, 30)$ generates $u(20, 30) = 600$.
 - The consumer prefers bundle A to B ($A \succeq B$).
 - Consider now utility function $v(x, y) = 3xy + 8$, which is an increasing transformation of $u(x, y)$:
 - Bundle $A = (40, 30)$ yields $v(40, 30) = 3,608$.
 - Bundle $B = (20, 30)$ still generates $v(20, 30) = 1,808$.
 - The consumer stills prefers bundle A to B ($A \succeq B$).
 - The consumer's preference over bundle A and B is unaffected (i.e., her ranking does not change).

Utility Functions

- *Example 2.4: Testing properties of preference relations.*

Consider utility function $u(x, y) = xy$. We check:

a) *Completeness:*

- For every two bundles, $A = (x_A, y_A)$ and $B = (x_B, y_B)$, completeness holds when
 - either $u(x_A, y_A) \geq u(x_B, y_B)$,
 - $u(x_B, y_B) \geq u(x_A, y_A)$, or
 - both, $u(x_A, y_A) = u(x_B, y_B)$.
- If $u(x_A, y_A) = 1,200$ and $u(x_B, y_B) = 600$, we check that $u(x_A, y_A) \geq u(x_B, y_B)$ because $1,200 > 600$, and completeness is satisfied.

Utility Functions

- *Example 2.4* (continued):

b) Transitivity:

- For every three bundles, A , B , and C , where $(x_A, y_A) \geq (x_B, y_B)$ and $(x_B, y_B) \geq (x_C, y_C)$, transitivity holds when
 - $(x_A, y_A) \geq (x_C, y_C)$
- If $u(x_A, y_A) = 1,200$, $u(x_B, y_B) = 600$ and $u(x_C, y_C) = 300$, we know
 - $1,200 > 600$,
 - $600 > 300$, and
 - $1,200 > 300$, implying that transitivity is satisfied.

Utility Functions

- *Example 2.4* (continued):

- c) *Strict monotonicity:*

- Consumers with strictly monotonic preferences prefer bundles with more units of *any* good.
 - For this property to hold, we need $u(x, y) = xy$ to be *strictly* increasing in both goods. We can check it by confirming

$$\frac{\partial u(x,y)}{\partial x} = y \geq 0 \text{ and } \frac{\partial u(x,y)}{\partial y} = x \geq 0$$

- Increasing the units of x produces a strict increase in consumer's utility as far as $y > 0$.
 - If she does not consume good y at all, $y = 0$, increasing good x does not alter utility level.
 - Therefore, strict monotonicity does not hold because an increase in x does not necessarily increase consumer's utility.

Utility Functions

- *Example 2.4* (continued):

d) Monotonicity:

- We need $u(x, y) = xy$ to be *weakly* increasing in x and y .
- We know that an increase in x
 - produces a strict increase in consumer's utility (when $y > 0$),
 - or does not affect utility (when $y = 0$),
 - but it never reduces utility.

Utility Functions

- *Example 2.4* (continued):

- d) *Monotonicity* (cont.):

- A similar argument applies to y . Then, an increase in both x and y produces a new bundle that generates a strictly greater utility.
 - Consider good x is increased by $a > 0$ and good y by $b > 0$. This yields a utility level of

$$u(x + a, y + b) = (x + a)(y + b).$$

- Monotonicity is satisfied because

$$u(x + a, y + b) > u(x, y).$$

Utility Functions

- *Example 2.4* (continued):

e) Nonsatiation:

- This property holds by monotonicity.
- We found that increasing amounts of both goods produces a new bundle $(x + a, y + b)$, that is strictly preferred to the original bundle (x, y) .
- Starting from the original bundle we can always find another bundle for which the consumer is better off.
- The consumer is never satiated.

Utility Functions

- *Utility functions and their properties.*

Table 2.1

Utility Function	Completeness	Transitivity	Strict Monotonicity	Monotonicity	Nonsatiation
$u(x, y) = by$	✓	✓	X	✓	✓
$u(x, y) = ax$	✓	✓	X	✓	✓
$u(x, y) = ax - by$	✓	✓	X	X	✓
$u(x, y) = ax + by$	✓	✓	✓	✓	✓
$u(x, y) = A \min\{ax, by\}$	✓	✓	X	✓	✓
$u(x, y) = Ax^\alpha y^\beta$	✓	✓	X	✓	✓

Parameters a, b, A, α, β are positive.

Marginal Utility

Marginal Utility

- **Marginal utility of a good** is the rate at which utility changes as the consumption of a good increases.
 - Intuitively, *how much better off do you become by consuming 1 more unit of good x ?*
 - Mathematically, marginal utility of good x is

$$MU_x = \frac{\partial u(x, y)}{\partial x},$$

and similarly for good y , $MU_y = \frac{\partial u(x, y)}{\partial y}$.

- Graphically, we measure the slope (rate of change) of the utility function as we increase the amount of good x , holding the amount of other goods constant.

Marginal Utility

- *Example 2.5: Finding marginal utility, MU.*

- Consider utility function $u(x, y) = x^{1/2}y^{1/2}$.
- Marginal utility of good x is

$$MU_x = \frac{1}{2}x^{\frac{1}{2}-1}y^{\frac{1}{2}} = \frac{1}{2}x^{-\frac{1}{2}}y^{\frac{1}{2}}$$

- Rearranging,

$$MU_x = \frac{1}{2} \frac{y^{1/2}}{x^{1/2}}.$$

- $MU_x > 0$ when the individual consumes positive amounts of good x and y , indicating that 1 more unit of good x raises her utility.

Marginal Utility

- *Example 2.5* (continued):

- Similarly, marginal utility of good y is

$$MU_y = \frac{1}{2} x^{\frac{1}{2}} y^{\frac{1}{2}-1} = \frac{1}{2} x^{\frac{1}{2}} y^{-\frac{1}{2}}$$

- Rearranging,

$$MU_y = \frac{1}{2} \frac{x^{1/2}}{y^{1/2}}$$

- When the individual consumes positive amounts of goods x and y , $MU_y > 0$.

Marginal Utility

- Diminishing Marginal Utility.

- Marginal utilities of most utility functions are *decreasing* in the amount of the good that the individual consumes,

$$MU_x \text{ decreases in } x, \text{ or } \frac{\partial MU_x}{\partial x} \leq 0 \text{ (similarly for } y\text{).}$$

- While more units of good x increase utility level, further increments in x produce smaller utility gains.
 - When the consumer has few units of good (e.g., food), giving her with 1 more unit increases her utility a great deal.
 - When she already has large amounts, giving her 1 more unit of food produces a small utility gain (or no gain at all!)

Marginal Utility

- *Example 2.6: Diminishing marginal utility.*

- Consider $u(x, y) = x^{1/2}y^{1/2}$ in example 2.5.

- Marginal utility of good x was $MU_x = \frac{1}{2} \frac{y^{1/2}}{x^{1/2}}$.

- MU_x is decreasing in the amount the consumer enjoys of good x ,

$$\frac{\partial MU_x}{\partial x} = -\frac{y^{1/2}}{4x^{3/2}} < 0 \text{ for any positive values of } x \text{ of } y.$$

- Similarly, $MU_y = \frac{1}{2} \frac{x^{1/2}}{y^{1/2}}$, is decreasing in good y because

$$\frac{\partial MU_y}{\partial y} = -\frac{x^{1/2}}{4y^{3/2}} < 0 \text{ for all positive values of } x \text{ of } y.$$

Indifference Curves

Indifference Curves

- This figure depicts $u(x, y) = x^{1/2}y^{1/2}$ in example 2.4.
 - The height of the “mountain” is the utility that the individual achieves by consuming a specific amount of x and y .




Figure 2.3a

- At bundle $(x, y) = (4, 9)$,
 $u(4, 9) = 4^{1/2}9^{1/2} = 6$.
- This utility level can also be obtained at bundles:
 - $(x, y) = (6, 6)$,
 $u(6, 6) = 6^{1/2}6^{1/2} = 6$.
 - $(x, y) = (9, 4)$,
 $u(9, 4) = 9^{1/2}4^{1/2} = 6$.

Indifference Curves

- The next figure depicts a “slice” of the utility mountain at a height of $u = 6$.




Figure 2.3b

- This curve connects bundles at which the consumer obtains the same utility $u = 6$. She is indifferent between consuming any of these bundles.

Indifference Curves

- **Indifference curve (IC):** A curve connecting consumption bundles that yield the same utility level.
 - IC for $u(x, y) = x^{1/2}y^{1/2}$ evaluated at $u = 6$. Solving for y , we find the expression of the indifference curve:




Figure 2.3b

Indifference Curves

- *Example 2.7: Finding ICs for two utility functions.*

- Consider again utility function $u(x, y) = x^{1/2}y^{1/2}$.
- We want to obtain the expression for the indifference curve when the consumer reaches utility level $u = 10$.
- This indifference curve entails

$$x^{1/2}y^{1/2} = 10.$$

- Solving for y ,

$$y^{1/2} = \frac{10}{x^{1/2}}.$$

- Squaring both sides we obtain the indifference curve:

$$(y^{1/2})^2 = \left(\frac{10}{x^{1/2}}\right)^2 \Rightarrow y = \frac{100}{x}.$$

Indifference Curves

- *Example 2.7* (continued):

- Plugging in values for good x in indifference curve $y = \frac{100}{x}$,
 - $x = 4$, which produces $y = \frac{100}{4} = 25$;
 - $x = 8$, which yields $y = \frac{100}{8} = 12.5$;
 - $x = 10$, which entails $y = \frac{100}{10} = 10$;
- We get bundles $(4,25)$, $(8,12.5)$, and $(10,10)$.
- If we plot these bundles as points on the positive quadrant, and connect these points, we form the indifference curve for $u = 10$.

Indifference Curves

- *Example 2.7* (continued):

- Consider now $u(x, y) = 5x + 3y$, and $u = 9$.
- Solving for y in $5x + 3y = 9$,

$$y = 3 - \frac{5}{3}x.$$

- This IC originates at $y = 3$, decreases at a rate of $5/3$ and cross the horizontal axis at $5/9$.
 - To find the horizontal intercept, set $3 - \frac{5}{3}x = 0$, rearrange $9 = 5x$, and solve for x , $x = 9/5$.
- We can evaluate the IC at several values of x (which need to be smaller than the horizontal intercept, $\frac{9}{5} = 1.8$).

Properties of Indifference Curves

- ICs are negatively sloped. It holds from monotonicity.
 - Consider bundle $A = (x_A, y_A)$ in a positively sloped IC.
 - The IC passing through bundle A cannot go through Regions I and II because the consumer strictly prefers
 - bundles in Region I than A ,
 - bundle A than those in Region II.




Figure 2.4

Properties of Indifference Curves

- ICs are negatively sloped.
- The IC passing through bundle A can only go through Region III and IV.
- IC must be negatively sloped.




Figure 2.4

Properties of Indifference Curves

- ICs are negatively sloped.
 - Negatively sloped ICs are referred to as “convex.”

For any two bundles, a straight line connecting them lies:

- (1) strictly above the curve, yielding a higher utility (when the IC curve is strictly decreasing); or
- (2) on the indifference curve, yielding the same utility level (when the IC is a straight line).





Figure 2.3b


Properties of Indifference Curves

- ICs cannot intersect. It holds from monotonicity.
 - ICs in the figure intersect at bundle A , violating monotonicity.
- Bundle B lies northeast of C .
With monotonicity, $u_B > u_C$.
- Bundle D lies northeast of E .
With monotonicity $u_D > u_E$.
- Bundles C and D lie on the same IC, $u_C = u_D$. Similarly, $u_B = u_E$.



Properties of Indifference Curves

- ICs cannot intersect.
 - Combining with $u_B > u_C$,
$$u_E = u_B > u_C = u_D,$$
$$u_E > u_D,$$
which contradicts the result about bundles E and D ($u_D > u_E$).
 - Monotonicity \rightarrow ICs cannot intersect.



Properties of Indifference Curves

- ICs are not thick. It holds from monotonicity.
 - The thick IC depicted in the figure violates monotonicity.
 - Bundles A and B lie in the same thick IC.
 - But, bundle B contains larger amounts of goods x and y than A . Then,
 - The consumer is not indifferent between A and B .
 - By monotonicity, $u_B > u_A$.
 - Monotonicity \rightarrow ICs cannot be thick.




Figure 2.6

Marginal Rate of Substitution

Marginal Rate of Substitution

- **Marginal rate of substitution (MRS)** is the rate at which a consumer is willing to give up units of good y as she receives an additional unit of good x , in order to keep where utility level constant.

Formally,

$$MRS_{x,y} = \frac{MU_x}{MU_y}.$$

- When $MU_x > 0$ and $MU_y < 0$,

$$MRS_{x,y} = \frac{(+)}{(-)} = (-).$$

- MRS represents the slope of the IC.




Figure 2.7

Marginal Rate of Substitution

- **Diminishing MRS.** The IC is relatively steep for small amounts of good x , but becomes flatter as we move rightward toward greater amounts of good x .
 1. *Preference for variety.* ICs are bowed in toward the origin.
 - The consumer is indifferent between extreme bundles, such as A and C , which yield utility level of u_1 .
 - She prefers more balanced bundles, such C , yielding a higher utility of u_2 .




Figure 2.8

Marginal Rate of Substitution

- Diminishing MRS.
 2. *Decreasing willingness to substitute.*
 - At A , MU_x is high while MU_y is low.
 - The consumer is willing to give up several units of y to obtain more units of x .
 - At C , MU_x is low and MU_y becomes high.
 - Willingness to give up units of y decreases once she has more units of x .




Figure 2.9

Marginal Rate of Substitution

- *Example 2.8: Finding MRS.*

1. Consider utility function $u(x, y) = x^{1/2}y^{1/2}$ from example 2.5,

$$MRS_{x,y} = \frac{MU_x}{MU_y} = \frac{\frac{1}{2}x^{-\frac{1}{2}}y^{\frac{1}{2}}}{\frac{1}{2}x^{\frac{1}{2}}y^{-\frac{1}{2}}} = \frac{y^{\frac{1}{2}-(-\frac{1}{2})}}{x^{\frac{1}{2}-(-\frac{1}{2})}} = \frac{y}{x},$$

where we cancel 1/2 on numerator and denominator; and we use the property $\frac{x^a}{x^b} = x^{a-b}$ for exponents a and b .

$MRS_{x,y}$ is decreasing in x , yielding ICs that are bowed in toward the origin.

Marginal Rate of Substitution

- *Example 2.8* (continued):

2. Consider the linear utility function $u(x, y) = ax + by$ where $a, b > 0$,

$$MRS_{x,y} = \frac{MU_x}{MU_y} = \frac{a}{b}.$$

$MRS_{x,y}$ is constant in x .

For instance, if $a = 10$ and $b = 4$, $MRS_{x,y} = 2.5$, indicating that the slope of the IC is -2.5 along all its points (i.e., a straight line).

Marginal Rate of Substitution

- *Example 2.8* (continued):

3. Consider utility function $u(x, y) = ax^2 + by^3$.

$$MRS_{x,y} = \frac{MU_x}{MU_y} = \frac{2ax}{3by^2}.$$

$MRS_{x,y}$ is increasing in x , yielding ICs bowed away from the origin. The IC is relatively flat for low values of x , but becomes steeper as we move rightward along the x -axis.

Special Types of Utility Functions

Special Types of Utility Functions

- Perfect Substitutes:

- Consider goods x and y . The consumer can use either good without significantly affecting her utility.
 - *Examples:* Two brands of mineral water, butter and margarine.

- The consumer's utility function takes the form

$$u(x, y) = ax + by, \text{ where } a, b > 0.$$

- This utility is linear in both goods because marginal utilities are constant, $MU_x = a$ and $MU_y = b$.
- MRS is also constant,

$$MRS_{x,y} = \frac{MU_x}{MU_y} = \frac{a}{b}.$$

Special Types of Utility Functions

- Perfect Substitutes (cont.):

- Solving for y in $u(x, y) = ax + by$,

$$y = \frac{u}{b} - \frac{a}{b}x.$$

- ICs are straight lines:

- Originating at $\frac{u}{b}$.
- Decreasing at rate $\frac{a}{b}$.
- Crossing the x -axis at $\frac{u}{a}$.

- Figure 2.10 illustrates ICs evaluated at $u = 1$, and at $u = 2$.




Figure 2.10

Special Types of Utility Functions

- Perfect Substitutes (cont.):
 - Recall that MRS measures the consumer's willingness to give up units of good y to obtain 1 more unit of x , keeping her utility level unaffected.
 - A constant MRS (i.e., a number) \rightarrow the consumer's willingness to substitute y for additional units of x is "always the same."
 - A decreasing MRS \rightarrow the consumer is willing to give up more units of good y when x becomes relatively scarce.

Special Types of Utility Functions

- Perfect Complements:

- The consumer must consume goods in fixed proportions.
 - *Examples:* cars and gasoline, left and right shoes.
- The utility function (referred as “Leontief”) takes the form

$$u(x, y) = A \min\{ax, by\}, \text{ where } A, a, b > 0.$$

- If $A = 1$ and $a = b = 2$, the utility function reduces to

$$u(x, y) = \min\{2x, 2y\} = 2 \min\{x, y\}.$$

Special Types of Utility Functions

- **Perfect Complements** (cont.):
 - If the consumer increases the amount of x by 1 unit without increasing the amount of y , her utility does not necessarily increase.
 - If $x \geq y$, an increase in x does not increase her utility.
 - If $y > x$, an increase in x does increase her utility.

Special Types of Utility Functions

- **Perfect Complements** (cont.):

- Consider the consumer has 10 units of each good, yielding

$$u(10,10) = \min\{2 \times 10, 2 \times 10\} = \min\{20, 20\} = 20$$

- If good x is increased from 10 to 11 units, but good y is unaffected, her utility remains the same

$$u(11,10) = \min\{2 \times 11, 2 \times 10\} = \min\{22, 20\} = 20$$

- Increasing the amount of one of the goods alone does not yield utility gains, as the consumer needs to enjoy both goods in fixed proportions.
- Formally, preferences for complementary goods violate the monotonicity property.

Special Types of Utility Functions

- Perfect Complements (cont.):
 - ICs have an L-shape:
 - The kink occurs at points where $ax = by$.
 - The slope is zero in the flat segment.
 - The slope is $-\infty$ in the vertical segment.




Figure 2.11

Special Types of Utility Functions

- Cobb-Douglas:

- The consumer regards goods x and y as neither perfectly substitutable nor complementary.
- The utility function takes the form

$$u(x, y) = Ax^\alpha y^\beta, \text{ where } A, \alpha, \beta > 0.$$

- Marginal utilities are

$$MU_x = A\alpha x^{\alpha-1} y^\beta \text{ and } MU_y = A\beta x^\alpha y^{\beta-1}.$$

which yield

$$MRS_{x,y} = \frac{MU_x}{MU_y} = \frac{A\alpha x^{\alpha-1} y^\beta}{A\beta x^\alpha y^{\beta-1}} = \frac{\alpha y^{\beta-(\beta-1)}}{\beta x^{\alpha-(\alpha-1)}} = \frac{\alpha y}{\beta x}.$$

Special Types of Utility Functions

- Cobb-Douglas (cont.):
 - $MRS_{x,y} = \frac{\alpha y}{\beta x}$ is decreasing in x .
 - ICs are bowed in the origin, they become flatter as x increases.




Figure 2.9

Special Types of Utility Functions

- Cobb-Douglas (cont.):

- Special cases:

1. $A = \alpha = \beta = 1,$

$$u(x, y) = xy \Rightarrow MRS_{x,y} = \frac{y}{x}.$$

2. $A = 1, \alpha = \beta,$

$$u(x, y) = x^\alpha y^\alpha = (xy)^\alpha \Rightarrow MRS_{x,y} = \frac{y}{x}.$$

3. $A = 1, \beta = 1 - \alpha,$

$$u(x, y) = x^\alpha y^{1-\alpha} \Rightarrow MRS_{x,y} = \frac{\alpha}{1-\alpha} \frac{y}{x}.$$

Utility Elasticity of good

- Exponents in the Cobb-Douglas utility function can be interpreted as elasticities.
- “Utility elasticity” of good x , $\varepsilon_{u,x}$, is the % increase in utility (if $\varepsilon_{u,x} > 0$) or % decrease in utility (if $\varepsilon_{u,x} < 0$) that the consumer experiences after increasing the amount of good x by 1%. Formally,

$$\varepsilon_{u,x} = \frac{\% \Delta u(x, y)}{\% \Delta x}.$$

Rearranging,

$$\varepsilon_{u,x} = \frac{\% \Delta u(x, y)}{\% \Delta x} = \frac{\frac{\Delta u(x, y)}{u(x, y)}}{\frac{\Delta x}{x}} = \frac{\Delta u(x, y)}{\Delta x} \frac{x}{u(x, y)}.$$

Utility Elasticity of a good

- When the increase in the amount of good x is marginally small,

$$\varepsilon_{u,x} = \frac{\frac{\partial u(x,y)}{\partial x} \overbrace{x}^{\text{Amount of } x \text{ consumed}}}{\underbrace{\frac{\partial u(x,y)}{\partial x}}_{MU_x} \underbrace{u(x,y)}_{\text{Utility function}}}$$

- Applying the definition of $\varepsilon_{u,x}$ to the Cobb-Douglas utility function,

$$\varepsilon_{u,x} = \frac{\frac{\partial u(x,y)}{\partial x} x}{u(x,y)} = \frac{\underbrace{A\alpha x^{\alpha-1} y^\beta}_{\frac{\partial u(x,y)}{\partial x}} \frac{x}{\underbrace{Ax^\alpha y^\beta}_{u(x,y)}}{}$$

Utility Elasticity of a good

Simplifying,

$$\varepsilon_{u,x} = \frac{A\alpha x^{\alpha-1+1}y^\beta}{Ax^\alpha y^\beta} = \frac{A\alpha x^\alpha y^\beta}{Ax^\alpha y^\beta} = \alpha.$$

- Hence, when facing a utility function like $u(x, y) = Ax^\alpha y^\beta$, we can claim the exponent in good x , α , represents the utility elasticity of a marginal increase in x .
 - A 1% increase in the amount of good x increases utility by $\alpha\%$.
- And β is the utility elasticity of good y .

Special Types of Utility Functions

- Quasilinear:

- Consumers who use all their additional income on one good alone, y (e.g., video games).
- Additional income is never spent on good x (e.g., toothpaste).
- This utility function takes the form

$$u(xy) = v(x) + by.$$

where $b > 0$, and $v(x)$ is a nonlinear function in x .

Special Types of Utility Functions

- **Quasilinear** (cont.):

- *Examples:*

- $v(x) = x^{1/2}$

- $v(x) = \ln x$.

- Any $v(x)$ which $v'(x)$ is not a constant, but instead depends on the units of good x , good y , or both.

- E.g., $v(x) = axy$, which $v'(x) = ay$ (not constant).

Special Types of Utility Functions

- **Quasilinear** (cont.):

- For $u(x, y) = v(x) + by$, the marginal utilities are $MU_x = v'(x)$ and $MU_y = b$, which yield

$$MRS_{x,y} = \frac{MU_x}{MU_y} = \frac{v'(x)}{b}.$$

- For a given value of x , the MRS is constant because it does not depend on the amount of good y .
- *Example:* $u(x, y) = x^{1/2} + 3y$, where $v(x) = x^{1/2}$, $b = 3$.

$$MRS_{x,y} = \frac{\frac{1}{2}x^{-1/2}}{3} = \frac{1}{6\sqrt{x}}.$$

For $x = 16$, $MRS_{x,y} = \frac{1}{6\sqrt{16}} = \frac{1}{24}$, which is constant in y .

Special Types of Utility Functions

- **Quasilinear** (cont.):
 - ICs are parallel shifts of each other.
 - If we fix constant the value of good x (e.g., $x = 16$), the slope of the IC ($MRS_{x,y}$) is unaffected by the amount of good y .




Figure 2.12

16

Special Types of Utility Functions

- Stone-Geary:

- It takes a Cobb-Douglas shape, but requires the individual have a minimum amount of each good (e.g., half a gallon of water), represented as \bar{x} and \bar{y} .

- This utility function takes the form

$$u(x, y) = A(x - \bar{x})^\alpha (y - \bar{y})^\beta, \text{ where } A, \alpha, \beta > 0.$$

- The consumer obtains a positive utility from good x only after exceeding her minimal consumption \bar{x} , when $x > \bar{x}$. And similarly, for good y , $y > \bar{y}$.
- When $\bar{x} = \bar{y} = 0$, the utility reduces to $u(x, y) = Ax^\alpha y^\beta$, which coincides with Cobb-Douglas utility function.

Special Types of Utility Functions

- Stone-Geary (cont.):

- For $u(x, y) = A(x - \bar{x})^\alpha (y - \bar{y})^\beta$, marginal utilities are

$$MU_x = A\alpha(x - \bar{x})^{\alpha-1}(y - \bar{y})^\beta,$$

$$MU_y = A\beta(x - \bar{x})^\alpha(y - \bar{y})^{\beta-1}.$$

which imply

$$MRS_{x,y} = \frac{MU_x}{MU_y} = \frac{A\alpha(x - \bar{x})^{\alpha-1}(y - \bar{y})^\beta}{A\beta(x - \bar{x})^\alpha(y - \bar{y})^{\beta-1}} = \frac{\alpha(y - \bar{y})^{\beta-(\beta-1)}}{\beta(x - \bar{x})^{\alpha-(\alpha-1)}} = \frac{\alpha(y - \bar{y})}{\beta(x - \bar{x})}.$$

- When $\bar{x} = \bar{y} = 0$, MRS collapses to MRS with Cob-Douglas function,

$$MRS_{x,y} = \frac{\alpha(y-\bar{0})}{\beta(x-\bar{0})} = \frac{\alpha y}{\beta x}.$$

A Look at Behavioral Economics— Social Preferences

Social Preferences

- Previous utility functions assume the consumer cares about the bundle she receives but ignore the bundle (or money) that other individuals enjoy.
- However, there are scenarios where we care about the well-being of family members or friends.
- We next explore utility functions where individuals exhibit social, rather than selfish, preferences.
 - Fehr-Schmidt Social Preferences (1999).
 - Bolton and Ockenfels Social Preferences (2000).

Social Preferences

- Fehr-Schmidt Social Preferences:

- Consider individuals 1 and 2, and let x_1 and x_2 represent their incomes.

- When $x_2 > x_1$, individual 2 is richer than 1. The utility of individual 1 is

$$x_1 - \underbrace{\alpha(x_2 - x_1)}_{\text{Disutility from envy}}, \text{ where } \alpha \geq 0.$$

- When $x_2 < x_1$, individual 2 is poorer than 1. The utility of individual 1 is

$$x_1 - \underbrace{\beta(x_1 - x_2)}_{\text{Disutility from guilt}}, \text{ where } \beta \geq 0.$$

- When $\alpha = \beta = 0$, this utility function reduces to x_1 both when $x_2 > x_1$ and otherwise, which reflects selfish preferences as the individual does not suffer from envy or guilt.

Social Preferences

- Bolton and Ockenfels Social Preferences:

- For individuals 1 and 2, the utility function of individual 1 is

$$u_1 \left(x_1, \frac{x_1}{x_1 + x_2} \right).$$

- The first term in the parentheses, x_1 , represents the selfish component because individual 1 considers only her own wealth x_1 .
- The second argument, $\frac{x_1}{x_1 + x_2}$, measures the share that individual 1's wealth represents of the total wealth in the group.

Social Preferences

- Bolton and Ockenfels Social Preferences (cont.):

- *Example:*

$$u_1 \left(x_1, \frac{x_1}{x_1 + x_2} \right) = x_1 + \alpha \left(\frac{x_1}{x_1 + x_2} \right)^{1/2} .$$

- If $\alpha \geq 0$, individual 1 enjoys a utility from owning a larger share of total wealth.
 - If $\alpha < 0$, individual 1 suffers from owning a larger share of wealth.

Appendix. Finding the Marginal Rate of Substitution

Finding MRS

- We increase good x by 1 unit and seek to measure how many units of good y the consumer must give up to preserve her utility level.
- Because we simultaneously alter the amounts of x and y , we totally differentiate $u(x, y)$,

$$du = \frac{\partial u(x, y)}{\partial x} dx + \frac{\partial u(x, y)}{\partial y} dy.$$

- Because the consumer is moving along an IC, her utility does not vary, implying $du = 0$.
- Plugging this result and using $MU_x = \frac{\partial u(x, y)}{\partial x}$ and $MU_y = \frac{\partial u(x, y)}{\partial y}$,

$$\underbrace{0}_{du = 0} = MU_x dx + MU_y dy.$$

Finding MRS

- After rearranging,

$$-MU_y dy = MU_x dx.$$

- Because we are interested in the rate at which y changes for a 1-unit increase in x ,

$$-\frac{dy}{dx} = \frac{MU_x}{MU_y}.$$

- Therefore, the slope of the indifference curve, coincides with the ratio of marginal utilities.
- This ratio is referred to as the marginal rate of substitution between goods x and y , or $MRS_{x,y}$.